



Innovative Smart Dustbin for Managing Waste Disposal

P. S. Rathore¹, N. Marwaha^{1,2*}, B. Singh²

¹Himachal Institute of Engineering and Technology, Shahpur, HP, India

²National Physical Laboratory (CSIR), Delhi, India

Received: 26.08.2023 Accepted: 12.09.2023 Published: 30-09-2023

*nee4u9968338043@gmail.com

ABSTRACT

A novel approach has been attempted in this work for modern waste management, by integrating technology with waste disposal systems. In response to the need for more engaging and efficient waste disposal methods, an interactive smart dustbin has been proposed. This dustbin, enhanced with robotic features and advanced sensors, has been aimed at revolutionizing how individuals perceive and participate in waste management practices. The interactive smart dustbin's design, implementation and potential applications are presented herein, with a focus on its potential to promote responsible waste disposal habits across diverse settings. Additionally, the integration of solar power as an alternative energy source has been explored to enhance the system's sustainability.

Keywords: Smart dustbin; Robotics; Waste management; Environmental engagement.

1. INTRODUCTION

Waste management has emerged as a critical concern in contemporary society due to increasing urbanization and environmental degradation. Traditional waste disposal methods, while functional, lack the ability to captivate individuals' attention and foster active engagement (Neetha *et al.* 2017; Faisal, 2017). This paper introduces an innovative solution by presenting an interactive smart dustbin that combines cutting-edge technology with user interaction to address these shortcomings. The proposed system integrates robotics (Vishesh, 2016; Ramji *et al.* 2019), ultrasonic sensing, emotive displays, sound feedback and solar power to transform waste disposal from a mundane task to a dynamic and engaging experience.

2. RELATED WORK

Prior research in waste management has predominantly focused on optimizing collection systems (Zade *et al.* 2018; Anushri *et al.* 2018), recycling methods and waste treatment technologies. However, limited attention has been directed towards making waste disposal an interactive and engaging experience for users (Navghane *et al.* 2016; Ghose *et al.* 2006). The integration of robotics and advanced sensor technologies in waste disposal systems is a relatively unexplored area, with a potential for significant improvements in user behaviour and environmental outcomes (Sukarjadi *et al.* 2017; Syaifudin *et al.* 2019). Moreover, the exploration of solar power integration in waste management systems highlights a sustainable approach to energy consumption.

3. DESIGN AND IMPLEMENTATION

The interactive smart dustbin comprises a traditional waste disposal unit augmented with a robotic companion, inspired by the iconic EVE character from the movie Wall-E (Fig. 1).

The robot's rotating head is equipped with an ultrasonic distance-measuring sensor, enabling accurate detection of nearby individuals (Kasliwal and Suryawanshi, 2016). The system's control architecture orchestrates the interaction sequence, transitioning from passive mode to active engagement upon detecting a user's presence (Kannan *et al.* 2014; Meghana and Nataraj, 2016).

The robot's emotive display, LED indicators, customized sound feedback and solar power integration contribute to a cohesive and immersive interaction experience (Baby *et al.* 2017; Kumar *et al.* 2016).

4. FUNCTIONALITY AND USER INTERACTION

The interactive smart dustbin operates in two primary modes: passive (Fig. 1) and active (Fig. 2). In the passive mode, the robot's rotating head continuously scans its surroundings while emitting a blinking red LED, indicating its readiness. Upon detecting an individual within the predetermined range, the LED shifts to green, and the robot's head halts, signifying interaction (Rohit *et al.* 2018; Murugaanandam *et al.* 2018). The robot opens the swing lid with its mechanized hand, revealing the disposal area. Simultaneously, the emotive display transitions to a welcoming expression, and a pre-recorded

sound plays to reinforce the engagement (William *et al.* 2019; Vishwajit *et al.* 2019). The integration of solar power further enhances the sustainability of the system,

allowing for prolonged operation without reliance on conventional power sources (Reddy *et al.* 2017).




Fig. 1: Passive mode (when nobody is detected)



Fig. 2: Active mode (when someone is detected)

5. APPLICATIONS AND FUTURE DIRECTIONS

The proposed interactive smart dustbin holds significant potential for a range of applications, including educational institutions, corporate environments and public spaces (William *et al.* 2019; Vishwajit *et al.* 2019). By creating an engaging waste disposal experience, this technology can instil responsible waste management habits among students, employees and the general public. Future research directions include fine-tuning interaction dynamics, optimizing sensor accuracy, exploring advanced AI-driven user recognition, and further enhancing the efficiency of solar power utilization (Tripathi *et al.* 2018; Bassil, 2012).

6. RESULT

The results obtained are profoundly encouraging. Demonstrating a substantially larger user adoption rate compared to traditional bins, our smart dustbin's success has been underscored by not only its practicality but also its potential for transformative change. Beyond its usage, our prototype has captivated the interest of sponsors who have not only pledged their support but have also placed pre-orders of the final prototype, validating the significance of the work and the viability of our solution in addressing waste disposal challenges. Moreover, the authors had a chance to represent it in Smart Light Expo in Delhi with Prof. Dr. Govind, Senior Principal Scientist, CSIR-NPL & Head-Expo.

7. CONCLUSION

An innovative solution that holds the promise of revolutionizing the way we approach the challenge of responsible waste disposal has been presented in this work. The integration of an interactive smart dustbin, bolstered by a robotic companion, cutting-edge ultrasonic sensor technology, dynamic emotive displays, responsive sound feedback and the utilization of integrated solar power, collectively embodies a remarkable stride towards reshaping waste disposal into an engaging and environmentally mindful endeavour.

The authors extend their special thanks to the Managing Director of HIET Group of Institutions for their unwavering support and encouragement throughout this endeavour. Their visionary leadership has played a pivotal role in propelling this research forward. Furthermore, our heartfelt appreciation goes to the dedicated scientists and staff of CSIR-NPL, whose invaluable recognition of our work has been a source of immense motivation. By fostering active participation and embracing the boundless potential of sustainable energy solutions, this system stands as a beacon of hope in the pursuit of a cleaner, greener and more sustainable future. With the synergy of technology, innovation and collaborative effort, we are confident that our interactive smart dustbin, along with its myriad features, can pave

the way for meaningful change in waste disposal practices, echoing its positive impact on both our immediate surroundings and the broader global environment.

FUNDING

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

CONFLICTS OF INTEREST

The authors declare that there is no conflict of interest.

COPYRIGHT

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).



REFERENCES

- Anushri, G., Manikandan, A., Nivas, P. and Vignesh, K., Garbage Monitoring System Using Arduino, *Int. J. Innovative Res. Stud.*, 8(4), 195-200 (2018).
- Navghane, S. S., Killedar, M. S. and Rohokale, V. M., IoT Based Garbage and Waste Collection Bin, *Int. J. Comput. Appl.*, 182(6), 11-14 (2016)
- Bassil, Y., A Simulation Model for the Waterfall Software Development Life Cycle, *Int. J. Eng. Technol.*, 2(5), 1-7(2012).
- Faisal, Aplikasi Smart Tr Persoalan Sampah secara Mobile Berbasis Android, *Jurnal INSTEK*, 2(2), 1-10 (2017).
<https://doi.org/10.24252/instek.v2i2.4011>
- Ghose, M. K., Dikshit, A. K. and Sharma, S. K., A GIS based transportation model for solid waste disposal – A case study on Asansol municipality, *J. Waste Manage.*, 26(11), 1287-1293 (2006).
<https://doi.org/10.1016/j.wasman.2005.09.022>
- Kannan, V., Jhaharia, S. and Verma, S. Agile vs Waterfall: A Comparative Analysis, *Int. J. Sci. Eng. Technol. Res.*, 3(10), 2680-2686 (2014).
- Kasliwal, M. H., and Suryawanshi, S. B., A Novel Approach to Garbage Management Using Internet of Things for Smart Cities, *Int. J. Curr. Trends Eng. Res.*, 2(5), 348-353(2016).
- Baby, C. J., Singh H., Srivastava, A., Dhawan, R. and Mahalakshmi, P., Smart bin: An intelligent waste alert and prediction system using machine learning approach, 2017 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET), 771-774 (2017).
<https://doi.org/10.1109/WiSPNET.2017.8299865>

- Kumar, N. S., Vuayalakshmi, B., Prarthana, R. J. and Shankar, A., IOT based smart garbage alert system using Arduino UNO. 2016 IEEE Region 10 Conference (TENCON), 1028-1034 (2016). <https://doi.org/10.1109/TENCON.2016.7848162>
- Meghana, K. C., Nataraj. K. R., IoT Based Intelligent Bin for Smart Cities, *Int. J. Recent Innovation Trends Comput. Commun.*, 4(5), 225–229 (2016). <https://doi.org/10.17762/ijritcc.v4i5.2159>
- Murugaanandam, S., Ganapathy, V. and Balaji, R., Efficient IoT Based Smart Bin for Clean Environment, *2018 International Conference on Communication and Signal Processing (ICCSP)*, 715-720 (2018). <https://doi.org/10.1109/ICCSP.2018.8524230>
- Neetha, Sharma, S., Vaishnavi, V. and Bedhi, V., Smart Bin – An Internet of Thin Clean and safe Public Space, *2017 International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC)*, 652-657 (2017). <https://doi.org/10.1109/I-SMAC.2017.8058260>
- Ramji, D. R., Shinde, J. R., Venkateswarlu, R., Smart Hands-Free Waste Compactor Bin for Public Places, *Int. J. Digital Electron.*, 1(2), 52-58 (2019).
- Reddy, P. S., Naik, R. N., Kumar, A. A., Kishor, S. N., Wireless dust bin monitoring and alert system using Arduino, 2017 Second International Conference on Electrical, Computer and Communication Technologies (ICECCT), 1-5(2017). <https://doi.org/10.1109/ICECCT.2017.8117960>
- Rohit, G. S., Chandra, M. B., Saha, S. and Das, D., Smart Dual Dustbin Model for Waste Management in Smart Cities, *2018 3rd International Conference for Convergence in Technology (I2CT)*, 1-5 (2018). <https://doi.org/10.1109/I2CT.2018.8529600>
- Sukarjadi, Setiawan, D. T., Arifiyanto, and Hatta, M., Perancangan dan Pembuat Berbasis Arduino Uno di Universitas Maarif Hasyim Latif, *Teknika: Eng. Saibns J.*, 1(2), 101-110 (2017). <https://doi.org/10.5281/zenodo.1116487>
- Syaifudin, M. and Rofii, F., an Bangun Sistem Monitoring Tempat Sampah Rumah Tangga dan Penerangan Jalan Berbasis Wireless Sensor Network (WSN), *Transmisi: Jurnal Ilmiah Teknik Elektro*, 20(4), 158-166 (2019). <https://doi.org/10.14710/transmisi.20.4.158-166>
- Tripathi, A., Pandey, C., Narwal, A. and Negi, D., Cloud Based Smart Dustbin System for Metro Station, 2018 3rd International Conference On Internet of Things: Smart Innovation and Usages (IoT-SIU), 1-4(2018). <https://doi.org/10.1109/IoT-SIU.2018.8519845>
- Vishesh, K. K., Smart Garbage Collection Bin Overflows Indicator using IoT, *Int. Res. J. Eng. Technol.*, 3(5), 2289-2290 (2016).
- Vishwajit, D., Karan, B., Sairaj, S., Abhishek, D. and Gaikwad, R., Smart Dustbin for Smart City, *Int. Res. J. Eng. Technol.*, 6(4), 2985-2987 (2019).
- William, Kristanto, K., Hartanto, T. T., Tham, F. and Azmi, F., Rancang Bangun Tempat Sampah Pintar Menggunakan Algoritma Fuzzy Logic Berbasis Arduino, *J. Inf. Telecommun. Eng.*, 3(1), 150-155 (2019), <https://doi.org/10.31289/jite.v3i1.2670>
- Zade, R., Khadgi, N., Kasbe, M. and Mujawar, T., Online Garbage Monitoring System Using Arduino and LabVIEW, *Int. J. Sci. Res. Network Secur. Commun.*, 6(6), 5-9 (2018).